

Best Available Copy

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	(terminat\$3 or abort\$3) near thread with exception
--------------	--

Display:	<input type="text" value="10"/> Documents in Display Format:	<input type="text" value="CIT"/> Starting with Number	<input type="text" value="1"/>
-----------------	--	---	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

Search History

DATE: Thursday, July 22, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L54</u>	(terminat\$3 or abort\$3) near thread with exception	28	<u>L54</u>
<u>L53</u>	mishaving near thread	0	<u>L53</u>
<u>L52</u>	(by\$1 near (reference or value)) with remote	0	<u>L52</u>
<u>L51</u>	(abort\$3 or terminat\$3 or kill\$3) with ((without near (method or thread)))	55	<u>L51</u>
<u>L50</u>	throw\$3 near exception and L44	0	<u>L50</u>
<u>L49</u>	l37 and L44	2	<u>L49</u>
<u>L48</u>	l35 and L44	0	<u>L48</u>
<u>L47</u>	l37 and L45	0	<u>L47</u>
<u>L46</u>	(l1 or l2) and L45	0	<u>L46</u>
<u>L45</u>	6289368.pn.	2	<u>L45</u>
<u>L44</u>	(by\$1 adj (reference or value))	130	<u>L44</u>
<u>L43</u>	l38 and L42	4	<u>L43</u>
<u>L42</u>	(by\$2 adj (reference or value))	2813	<u>L42</u>
<u>L41</u>	remote near (method or object or invocation) and l38	5	<u>L41</u>
<u>L40</u>	l8 and L38	1	<u>L40</u>

<u>L39</u>	(l1 or l2) and L38	1	<u>L39</u>
<u>L38</u>	l35 and L37	158	<u>L38</u>
<u>L37</u>	exceed\$3 near (maximum or threshold or limit) or (consum\$6 near resources)	104811	<u>L37</u>
<u>L36</u>	exceed\$3 near (maximum or threshold or limit) or (consum\$6 near\$1 resources)	2568000	<u>L36</u>
<u>L35</u>	((abort\$3 or kill\$3 or terminat\$3) near (thread or task))	2309	<u>L35</u>
<u>L34</u>	memory near allocat\$3 with applet	11	<u>L34</u>
<u>L33</u>	resource adj usage with applet	1	<u>L33</u>
<u>L32</u>	l8 and L30	2	<u>L32</u>
<u>L31</u>	l5 and L30	1	<u>L31</u>
<u>L30</u>	((instant\$5 or creat\$3) with (wrap\$5 near object))	67	<u>L30</u>
<u>L29</u>	(terminat\$3 or abort\$3 or kill\$3) with (remote near (object or method))	42	<u>L29</u>
<u>L28</u>	throw\$3 near exception with (remote near (object or method))	8	<u>L28</u>
<u>L27</u>	throw\$3 near exception with (thread with terminat\$3)	7	<u>L27</u>
<u>L26</u>	(misbehav\$3 near (code or program or thread))	11	<u>L26</u>
<u>L25</u>	((abort\$3 or kill\$3 or terminat\$3) and (misbehav\$3 near (code or program or thread)))	7	<u>L25</u>
<u>L24</u>	((abort\$3 or kill\$3 or terminat\$3) with (misbehav\$3 near (code or program or thread)))	4	<u>L24</u>
<u>L23</u>	((abort\$3 or kill\$3 or terminat\$3) with thread) and ((wrap\$3 or cop\$4) near (argument or parameter))	21	<u>L23</u>
<u>L22</u>	result with (wrap\$3 or cop\$4) near (argument or parameter)	31	<u>L22</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L21</u>	6192514.pn.	1	<u>L21</u>
<u>L20</u>	5706516.pn.	1	<u>L20</u>
<u>L19</u>	5668999.pn.	1	<u>L19</u>
<u>L18</u>	5630066.pn.	1	<u>L18</u>
<u>L17</u>	5603031.pn.	1	<u>L17</u>
<u>L16</u>	5603031.pn.	1	<u>L16</u>
<u>L15</u>	5421015.pn.	1	<u>L15</u>
<u>L14</u>	5368685.pn.	1	<u>L14</u>
<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L13</u>	remote adj object with (wrap\$3 or cop\$4)	30	<u>L13</u>
<u>L12</u>	l8 and L5	4	<u>L12</u>
<u>L11</u>	l8 and L10	17	<u>L11</u>
<u>L10</u>	resource near us\$4	11669	<u>L10</u>
<u>L9</u>	l2 and L8	0	<u>L9</u>
<u>L8</u>	(remote near method) with (wrap\$5 or copy\$3 or reference)	159	<u>L8</u>
<u>L7</u>	generat\$3 near stub with (argument or parameter)	12	<u>L7</u>
<u>L6</u>	l1 and L5	0	<u>L6</u>
<u>L5</u>	(malicious\$3 or untrusted or hack\$3)	28667	<u>L5</u>

<u>L4</u>	l1 and L2	0	<u>L4</u>
<u>L3</u>	l2 and L2	325	<u>L3</u>
<u>L2</u>	(malicious\$3 or untrusted or hack\$3) near (program or applet or code)	325	<u>L2</u>
<u>L1</u>	(cop\$4 near (argument or parameter) or (by near (reference or val\$3)) and remote).ab,ti.	167	<u>L1</u>

END OF SEARCH HISTORY